




CATERLUX

Live an illuminated life





TECHNOLOGY ORIENTED

Ultra modern and minimalistic designs with a decorative edge. Our range consist of LED Panels, COB, Spotlights, Recess Mounted Downlights and Surface fixtures in best finishes, round and square shapes, most appropriate for modern spaces solutions for low ceiling heights.



DESIGN DRIVEN

Introducing the new range of architecture lights from Caterlux. This range is yet another to innovate and provide world class lighting solutions. Modern and stylish, these lights are designed to breathe life into your living space, be it bedroom, living room, dinning areas, staircases, corridor or dressing rooms and see how your dream house brightens up everyday.

ABOUT US

Ever since Caterlux's inception in 2016, we have been striving to light up your homes with our avant- garde products and exceptional client service. We specialise in energy efficient LED lighting solutions adding value to homes and office spaces. As we have embarked on a journey towards illuminating the future with our premium lighting solutions, our innovative designs with minimal pricing are all set to create history in the lighting industry.

From initial consultation to designing to conceptualization to delivering luxurious and even custom made lighting products with high quality standards is what Caterlux firmly believes in. We ensure our clients not only with hand picked high end products but also the perfect balance between quality, reliability endorsing panache and stature.

CONTENT

INDOOR LIGHTING	01	—	41
OUTDOOR LIGHTING	42	—	55
3.5MM MAGNETIC LIGHTING SYSTEM	56	—	58
5MM MAGNETIC LIGHTING SYSTEM	59	—	63
10MM MAGNETIC LIGHTING SYSTEM	64	—	68
2.2LINE MAGNETIC LIGHTING SYSTEM	69	—	73
4LINE MAGNETIC LIGHTING SYSTEM	74	—	78
26MM MAGNETIC LIGHTING SYSTEM	79	—	81
HANGER SERIES	82	—	83
STONE CRAFT SERIES	84	—	84



ARCHITECTURAL

INDOOR LIGHTING

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-A6-001	• SIZE : 60x40MM • CUT OUT : 55MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	BESIL		6W
2	CTR-A6-002	• SIZE : 60x40MM • CUT OUT : 55MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BESIL		6W
3	CTR-A6-003	• SIZE : 60x40MM • CUT OUT : 55MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	BESIL		6W
4	CTR-A6-004	• SIZE : 60x40MM • CUT OUT : 55MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BESIL		6W
5	CTR-A12-001	• SIZE : 86X52MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	BESIL		12W
6	CTR-A12-002	• SIZE : 86X52MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BESIL		12W
7	CTR-A12-003	• SIZE : 86X52MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	BESIL		12W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-A12-004	• SIZE : 86X52MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BESIL		12W
9	CTR-R10-001-FX	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	ARRAY		10W
10	CTR-R10-002-FX	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	ARRAY		10W
11	CTR-R10-003-FX	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	ARRAY		10W
12	CTR-R10-004-FX	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	ARRAY		10W
13	CTR-R15-001-FX	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	ARRAY		15W
14	CTR-R15-002-FX	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	ARRAY		15W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-R15-003-FX	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	ARRAY		15W
16	CTR-R15-004-FX	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	ARRAY		15W
17	CTR-R10-001-AD	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	ARRAY		10W
18	CTR-R10-002-AD	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	ARRAY		10W
19	CTR-R10-003-AD	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	ARRAY		10W
20	CTR-R10-004-AD	• SIZE : 70X68MM • CUT OUT : 60MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	ARRAY		10W
21	CTR-R15-001-AD	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	ARRAY		15W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-R15-002-AD	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	ARRAY		15W
23	CTR-R15-003-AD	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	ARRAY		15W
24	CTR-R15-004-AD	• SIZE : 90X82MM • CUT OUT : 75MM • BEAM ANGLE : 34° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	ARRAY		15W
25	CTR-LE6	• SIZE : 70X63MM • CUT OUT : 60MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE + GREY	LEAF		6W
26	CTR-LE12	• SIZE : 85X76MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE + GREY	LEAF		12W
27	CTR-BN6	• SIZE : 65X30MM • CUT OUT : 55MM • BEAM ANGLE : 35° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : GREY	BINGO		6W
28	CTR-BN8	• SIZE : 75X30MM • CUT OUT : 65MM • BEAM ANGLE : 35° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : GREY	BINGO		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
29	CTR-BN12	• SIZE : 85X35MM • CUT OUT : 75MM • BEAM ANGLE : 35° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : GREY	BINGO		12W
30	CTR-WT8-001	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		8W
31	CTR-WT8-002	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		8W
32	CTR-WT8-003	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		8W
33	CTR-WT8-004	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		8W
34	CTR-WT8-005	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC TRIMLESS		8W
35	CTR-WT8-006	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC TRIMLESS		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
36	CTR-WT8-007	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC TRIMLESS		8W
37	CTR-WT15-001	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		15W
38	CTR-WT15-002	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		15W
39	CTR-WT15-003	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		15W
40	CTR-WT15-004	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		15W
41	CTR-WT15-005	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC TRIMLESS		15W
42	CTR-WT15-006	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC TRIMLESS		15W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
43	CTR-WT15-007	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC TRIMLESS		15W
44	CTR-WT24-001	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		24W
45	CTR-WT24-002	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		24W
46	CTR-WT24-003	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS		24W
47	CTR-WT24-004	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC TRIMLESS		24W
48	CTR-WT24-005	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC TRIMLESS		24W
49	CTR-WT24-006	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC TRIMLESS		24W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
50	CTR-WT24-007	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC TRIMLESS		24W
51	CTR-WE8-RD-001	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC EDGE		8W
52	CTR-WE8-RD-002	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC EDGE		8W
53	CTR-WE8-RD-003	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE		8W
54	CTR-WE8-RD-004	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE		8W
55	CTR-WE8-RD-005	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC EDGE		8W
56	CTR-WE8-RD-006	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC EDGE		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
57	CTR-WE8-RD-007	• SIZE : 59X75MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC EDGE		8W
58	CTR-WE15-001	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC EDGE		15W
59	CTR-WE15-002	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC EDGE		15W
60	CTR-WE15-003	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE		15W
61	CTR-WE15-004	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE		15W
62	CTR-WE15-005	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC EDGE		15W
63	CTR-WE15-006	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC EDGE		15W


LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
64	CTR-WE15-007	• SIZE : 86X100MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC EDGE		15W
65	CTR-WE24-001	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC EDGE		24W
66	CTR-WE24-002	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	OPTIC EDGE		24W
67	CTR-WE24-003	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE		24W
68	CTR-WE24-004	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE		24W
69	CTR-WE24-005	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : GOLD	OPTIC EDGE		24W
70	CTR-WE24-006	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : WHITE	OPTIC EDGE		24W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
71	CTR-WE24-007	• SIZE : 104X120MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : WHITE	OPTIC EDGE		24W
72	CTR-WE12-SQ.	• SIZE : 89X89X120MM • CUT OUT : 82MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC SQUARE		12W
73	CTR-WE2X8-001-RD.	• SIZE : 140X80X84MM • CUT OUT : 130X70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC TWIN		2X8W
74	CTR-WE2X8-002-RD.	• SIZE : 140X80X84MM • CUT OUT : 130X70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TWIN		2X8W
75	CTR-WE2X15-001-RD.	• SIZE : 194X104X113MM • CUT OUT : 180X75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TWIN		2X15W
76	CTR-WE2X15-002-RD.	• SIZE : 194X104X113MM • CUT OUT : 180X75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : PEARL BLACK	OPTIC TWIN		2X15W
77	CTR-WE8-SQ-001	• SIZE : 68X68X81MM • CUT OUT : 60MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE MINI SQUARE 1x8W		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
78	CTR-WE8-SQ-002	• SIZE : 68X68X81MM • CUT OUT : 60MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE MINI SQUARE 1x8W		8W
79	CTR-WE8-SQ-003	• SIZE : 68X68X81MM • CUT OUT : 60MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : WHITE	OPTIC EDGE MINI SQUARE 1x8W		8W
80	CTR-WE8-SQ-004	• SIZE : 68X68X81MM • CUT OUT : 60MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : GOLD	OPTIC EDGE MINI SQUARE 1x8W		8W
81	CTR-WE16-SQ-001	• SIZE : 135X68X81MM • CUT OUT : 130X65MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE MINI SQUARE 2x8W		16W
82	CTR-WE16-SQ-002	• SIZE : 135X68X81MM • CUT OUT : 130X65MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE MINI SQUARE 2x8W		16W
83	CTR-WE16-SQ-003	• SIZE : 135X68X81MM • CUT OUT : 130X65MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : WHITE	OPTIC EDGE MINI SQUARE 2x8W		16W
84	CTR-WE16-SQ-004	• SIZE : 135X68X81MM • CUT OUT : 130X65MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : GOLD	OPTIC EDGE MINI SQUARE 2x8W		16W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
85	CTR-WE24-SQ-001	• SIZE : 202X68X81MM • CUT OUT : 200X65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : PEARL BLACK	OPTIC EDGE MINI SQUARE 3x8W		24W
86	CTR-WE24-SQ-002	• SIZE : 202X68X81MM • CUT OUT : 200X65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : MATT BLACK	OPTIC EDGE MINI SQUARE 3x8W		24W
87	CTR-WE24-SQ-003	• SIZE : 202X68X81MM • CUT OUT : 200X65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : WHITE	OPTIC EDGE MINI SQUARE 3x8W		24W
88	CTR-WE24-SQ-004	• SIZE : 202X68X81MM • CUT OUT : 200X65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK • REFLECTOR : GOLD	OPTIC EDGE MINI SQUARE 3x8W		24W
89	CTR-WE15-SQP-001	• SIZE : 86X109MM • CUT OUT : 75MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC EDGE SQ. POP UP 12W		15W
90	CTR-WT15-RDP-001	• SIZE : 86X109MM • CUT OUT : 75MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	OPTIC TRIMLESS RD. POP UP 15W		15W
91	CTR-BE1X12W	• SIZE : 84X84X67MM • CUT OUT : 75X75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BENZ 1 WAY		12W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
92	CTR-BE2X12W	• SIZE : 84X167X67MM • CUT OUT : 75X155MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BENZ 2 WAY		2X12W
93	CTR-BE3X12W	• SIZE : 84X250X67MM • CUT OUT : 75X250MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BENZ 3 WAY		3X12W
94	CTR-BE1X12W-RD.	• SIZE : 87X60MM • CUT OUT : 72MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : PEARL BLACK	BENZ 1 WAY RD.		12W
95	CTR-T6-R	• SIZE : 50X102MM • CUT OUT : 40MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : BLACK	TUBE-6-RECESS		6W
96	CTR-T12-R	• SIZE : 73X118MM • CUT OUT : 67MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : BLACK	TUBE-12-RECESS		12W
97	CTR-T6-P	• SIZE : 57X119MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : BLACK	TUBE-6-PULLOUT		6W
98	CTR-AT3-WH	• SIZE : 40X30MM • CUT OUT : 33MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	ATOM		3W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
99	CTR-AT3-BK	• SIZE : 40X30MM • CUT OUT : 33MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	ATOM		3W
100	CTR-AT5-WH	• SIZE : 50X33MM • CUT OUT : 43MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	ATOM		5W
101	CTR-AT5-BK	• SIZE : 50X33MM • CUT OUT : 43MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	ATOM		5W
102	CTR-MG6-001	• SIZE : 35X64MM • CUT OUT : 30MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	MAGNA		6W
103	CTR-MG6-002	• SIZE : 35X64MM • CUT OUT : 30MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	MAGNA		6W
104	CTR-MG8-001	• SIZE : 45X69MM • CUT OUT : 40MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	MAGNA		8W
105	CTR-MG8-002	• SIZE : 45X69MM • CUT OUT : 40MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	MAGNA		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
106	CTR-MG10-001	• SIZE : 55X71MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	MAGNA		10W
107	CTR-MG10-002	• SIZE : 55X71MM • CUT OUT : 50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	MAGNA		10W
108	CTR-GR7-RD-001	• SIZE : 61X93MM • CUT OUT : 55MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE RD.1x7W		7W
109	CTR-GR7-RD-002	• SIZE : 61X93MM • CUT OUT : 55MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE RD.1x7W		7W
110	CTR-GR7-SQ-001	• SIZE : 63X63X94MM • CUT OUT : 55X55MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE SQ. 1x7W		7W
111	CTR-GR7-SQ-002	• SIZE : 63X63X94MM • CUT OUT : 55X55MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE SQ. 1x7W		7W
112	CTR-GR12-RD-001	• SIZE : 84X104MM • CUT OUT : 75MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE RD.1x12W		12W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
113	CTR-GR12-RD-002	• SIZE : 84X104MM • CUT OUT : 75MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE RD.1x12W		12W
114	CTR-GR12-SQ-001	• SIZE : 84X84X116MM • CUT OUT : 75X75MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE SQ.1x12W		12W
115	CTR-GR12-SQ-002	• SIZE : 84X84X116MM • CUT OUT : 75X75MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE SQ.1x12W		12W
116	CTR-GR2X7-SQ-001	• SIZE : 129X68X91MM • CUT OUT : 122X58MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE SQ.2x7W		14W
117	CTR-GR2X7-SQ-002	• SIZE : 129X68X91MM • CUT OUT : 122X58MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE SQ.2x7W		14W
118	CTR-GR2X12-SQ-001	• SIZE : 180X90X116MM • CUT OUT : 165X79MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GRACE SQ.2x12W		24W
119	CTR-GR2X12-SQ-002	• SIZE : 180X90X116MM • CUT OUT : 165X79MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GRACE SQ.2x12W		24W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
120	CTR-FP7-RD	• SIZE : 60MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	FUSION PRO		7W
121	CTR-FP12-RD	• SIZE : 80MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	FUSION PRO		12W
122	CTR-TR18-RD	• SIZE : 100X97MM • CUT OUT : 94MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TURN		18W
123	CTR-TR24-RD	• SIZE : 120X101MM • CUT OUT : 113MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TURN		24W
124	CTR-TR30-RD	• SIZE : 120X101MM • CUT OUT : 113MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TURN		30W
125	CTR-OS5-RD-001	• SIZE : 50X45MM • CUT OUT : 43MM • BEAM ANGLE : 40° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	ONSPOT		5W
126	CTR-OS5-RD-002	• SIZE : 50X45MM • CUT OUT : 43MM • BEAM ANGLE : 40° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	ONSPOT		5W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
127	CTR-BL-C10-001	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : MATT BLACK	BLISS CURVE		10W
128	CTR-BL-C10-002	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR: MATT WHITE	BLISS CURVE		10W
129	CTR-BL-C10-003	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : GUN BLACK	BLISS CURVE		10W
130	CTR-BL-C10-004	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR : MATT BLACK	BLISS CURVE		10W
131	CTR-BL-C10-005	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR : MATT WHITE	BLISS CURVE		10W
132	CTR-BL-C10-006	• SIZE : 54X63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR: GUN BLACK	BLISS CURVE		10W
133	CTR-BL-S10-001	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : MATT BLACK	BLISS STRAIGHT		10W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
134	CTR-BL-S10-002	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : MATT WHITE	BLISS STRAIGHT		10W
135	CTR-BL-S10-003	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR: GUN BLACK	BLISS STRAIGHT		10W
136	CTR-BL-S10-004	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR: MATT BLACK	BLISS STRAIGHT		10W
137	CTR-BL-S10-005	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR : MATT WHITE	BLISS STRAIGHT		10W
138	CTR-BL-S10-006	• SIZE : 54X82MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR COLOUR : GUN BLACK	BLISS STRAIGHT		10W
139	CTR-BL-P-10	• SIZE : 48X82MM • CUT OUT : 45MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	BLISS POINTER		10W
140	CTR-IY6-001	• SIZE : 52*63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : ANTIQUE BRASS	IVY 6W		6W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
141	CTR-IY6-002	• SIZE : 52*63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BRUSH NICKEL	IVY 6W		6W
142	CTR-IY6-003	• SIZE : 52*63MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK CHROME	IVY 6W		6W
143	CTR-IY8-001	• SIZE : 62*63MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : ANTIQUE BRASS	IVY 8W		8W
144	CTR-IY8-002	• SIZE : 62*63MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BRUSH NICKEL	IVY 8W		8W
145	CTR-IY8-003	• SIZE : 62*63MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK CHROME	IVY 8W		8W
146	CTR-IY12-001	• SIZE : 71*68MM • CUT OUT : 65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : ANTIQUE BRASS	IVY 12W		12W
147	CTR-IY12-002	• SIZE : 71*68MM • CUT OUT : 65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BRUSH NICKEL	IVY 12W		12W


LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
148	CTR-IY12-003	• SIZE : 71*68MM • CUT OUT : 65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK CHROME	IVY 12W		12W
149	CTR-IYSM-12-001	• SIZE : 71*68MM • CUT OUT : 65MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK CHROME	IVY SMD 12W		12W
150	CTR-UQ6-001	• SIZE : 42*55MM • CUT OUT : 35MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	UBIQ 6W		6W
151	CTR-UQ8-001	• SIZE : 52*60MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	UBIQ 8W		8W
152	CTR-UQ12-001	• SIZE : 62*68MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	UBIQ 12W		12W
153	CTR-UQ15-001	• SIZE : 80*72MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	UBIQ 15W		15W
154	CTR-T-P8-001	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON POINTER EDGE		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
155	CTR-T-P8-002	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON POINTER TRIMLESS		8W
156	CTR-T-PL8-001	• SIZE : 83mm • CUT OUT : 70MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON PANEL LIGHT EDGE		8W
157	CTR-T-PL8-002	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON PANEL LIGHT TRIMLESS		8W
158	CTR-T-WL8-001	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON WALL WASHER EDGE		8W
159	CTR-T-WL8-002	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON WALL WASHER TRIMLESS		8W
160	CTR-T-DL8-001	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : WHITE	TRITON DOWNLIGHT EDGE		8W
161	CTR-T-DL8-002	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : PEARL BLACK	TRITON DOWNLIGHT EDGE		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
162	CTR-T-DL8-003	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : WHITE	TRITON DOWNLIGHT TRIMLESS		8W
163	CTR-T-DL8-004	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR COLOUR : PEARL BLACK	TRITON DOWNLIGHT TRIMLESS		8W
164	CTR-T-CS-001	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON CONE SPOTLIGHT EDGE		8W
165	CTR-T-CS-002	• SIZE : 83MM • CUT OUT : 70MM • BEAM ANGLE : 38° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TRITON CONE SPOTLIGHT TRIMLESS		8W
166	CTR-T-EF	• CUT OUT : 70MM • BODY COLOUR : WHITE	TRITON EDGE FRAME		NA
167	CTR-T-TF	• CUT OUT : 70MM • BODY COLOUR : WHITE	TRITON TRIMLESS FRAME		NA
168	CTR-PT-001	• SIZE : 65MM • CUT OUT : 55MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	PATTERN 8W		8W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
169	CTR-PT-002	• SIZE : 80MM • CUT OUT : 75MM • BEAM ANGLE : 15° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	PATTERN 12W		12W
170	CTR-TL-001	• SIZE : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TUNNEL 7W		7W
171	CTR-TL-002	• SIZE : 75MM • BEAM ANGLE : 55° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TUNNEL 12W		12W
172	CTR-TL-003	• SIZE : 95MM • BEAM ANGLE : 55° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	TUNNEL 18W		18W
173	CTR-LT7-001	• SIZE : 35MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	LUMINO TRIMLESS 7W		7W
174	CTR-LT12-001	• SIZE : 55MM • BEAM ANGLE : 55° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	LUMINO TRIMLESS 12W		12W
175	CTR-LT18-001	• SIZE : 75MM • BEAM ANGLE : 55° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	LUMINO TRIMLESS 18W		18W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
176	CTR-PX-001	• SIZE : 41X60MM • CUT OUT : 35MM • BEAM ANGLE : 6° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	PIXEL 6W		6W
177	CTR-PX-002	• SIZE : 51X62MM • CUT OUT : 45MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	PIXEL 10W		10W
178	CTR-PX-003	• SIZE : 61X64MM • CUT OUT : 55MM • BEAM ANGLE : 50° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	PIXEL 15W		15W
179	CTR-SMF-001	• SIZE : 42X55MM • CUT OUT : 35MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	SOMFY 6W		6W
180	CTR-SMF-002	• SIZE : 52X60MM • CUT OUT : 45MM • BEAM ANGLE : 50° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	SOMFY 10W		10W
181	CTR-SMF-003	• SIZE : 62X65MM • CUT OUT : 55MM • BEAM ANGLE : 50° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	SOMFY 12W		12W
182	CTR-SMF-004	• SIZE : 80X68MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : PEARL BLACK	SOMFY 15W		15W


LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
183	CTR-ACD-003	• SIZE : 63X80MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	ACCORD 8W		8W
184	CTR-ACD-004	• SIZE : 63X100MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	ACCORD 15W		15W
185	CTR-AQ12	• SIZE : 84X65MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	AQUA		12W
186	CTR-AQ20	• SIZE : 104X70MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	AQUA		20W
187	CTR-HY8-001	• SIZE : 65*50MM • CUT OUT : 55MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	HYDRO 8W		8W
188	CTR-ST-001	• SIZE : 83*65MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	STEAM 12W		12W
189	CTR-ST-002	• SIZE : 83*65MM • CUT OUT : 75MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	STEAM 12W		12W

LED DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
190	CTR-ST-003	• SIZE : 103*70MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	STEAM 20W		20W
191	CTR-ST-004	• SIZE : 103*70MM • CUT OUT : 95MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	STEAM 20W		20W
192	CTR-DE5-001	• SIZE : 22X60MM • CUT OUT : 15MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	DEW		5W
193	CTR-DE5-002	• SIZE : 22X60MM • CUT OUT : 15MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	DEW		5W
194	CTR-DE5-003	• SIZE : 22X60MM • CUT OUT : 15MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : GOLD	DEW		5W
195	CTR-DE5-004	• SIZE : 22X60MM • CUT OUT : 15MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : METALLIC BLACK	DEW		5W
196	CTR-SP-001	• SIZE : 38X158MM • IP CODE : IP20 • CCT : 3K/4K • BODY COLOUR : BLACK	SHADOW-PROJECTOR		8W

LED SURFACE LIGHT

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-M6-001	• SIZE : 65X70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	MEGA		6W
2	CTR-M6-002	• SIZE : 65X70MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	MEGA		6W
3	CTR-T12	• SIZE : 86X80MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : GREY	TRIAD		12W
4	CTR-T6-S	• SIZE : 38X192MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : BLACK	TUBE-6-SURFACE		6W
5	CTR-DK5-001	• SIZE : 58X25MM • BEAM ANGLE : 36° • IP CODE : IP67 • CCT : 3000K • BODY COLOUR : BLACK	DISK 5W		5W
6	CTR-DK10-001	• SIZE : 80X15MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK	DISK 10W		10W
7	CTR-IY-S-12-001	• SIZE : 75*95MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : GUN BLACK	IVY SURFACE 12W		12W

LED SURFACE LIGHT

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-GL-001	• SIZE : 80X90MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : WHITE	GLOW 12W		12W
9	CTR-GL-002	• SIZE : 80X90MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	GLOW 12W		12W

LED WALL WASHERS & GRAZERS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-LNW21-R	• SIZE : 600X36X26MM • CRI : >90 Ra • IP CODE : IP45 • CCT : 3K/4K • LENGTH : 600MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA RECESSED WALL WASHER 600MM		21W
2	CTR-LNW42-R	• SIZE : 1200X36X26MM • CRI : >90 Ra • IP CODE : IP45 • CCT : 3K/4K • LENGTH : 1200MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA RECESSED WALL WASHER 1200MM		42W
3	CTR-LNW12-S	• SIZE : 300X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 300MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 300MM		12W
4	CTR-LNW21-S	• SIZE : 600X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 600MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 600MM		21W
5	CTR-LNW42-S	• SIZE : 1200X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 1200MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 1200MM		42W
6	CTR-TR10-001	• SIZE : 64X71MM • CUT OUT : 55MM • BEAM ANGLE : 15° • IP CODE : IP44 • CCT : 3000K • BODY COLOUR : BLACK • VOLTAGE : DC 24V	TRACE 10W (WALL WASHER)		10W
7	CTR-CG30-001	• SIZE : 22X30MM • CRI : >90 Ra • BEAM ANGLE : 10° • IP CODE : IP44 • CCT : 3000K • LENGTH : 1 MTR • VOLTAGE : DC 24V	CURTAIN GRAZER		30W/M

LED WALL WASHERS & GRAZERS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-AW15	• SIZE : 32X48MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 500MM • VOLTAGE : DC 24V	WALL WASHER		18W
9	CTR-AW15	• SIZE : 32X48MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 1000MM • VOLTAGE : DC 24V	WALL WASHER		36W
10	CTR-FW15	• SIZE : 40X34MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 1 MTR • VOLTAGE : DC 24V	FLEXIBLE WALL WASHER		15W
11	CTR-WG15	• SIZE : 23X14MM • IP CODE : IP65 • CCT : 3K • LENGTH : 5 MTR • VOLTAGE : DC 24V	WALL GRAZER		15W/MTR
12	CTR-BL24	• SIZE : 24X6.5MM • IP CODE : IP65 • CCT : 2700K • LENGTH : 5 MTR • VOLTAGE : DC 24V	BELT		24W/MTR
13	CTR-SR-001	• SIZE : 14X10MM • BEAM ANGLE : 30° • IP CODE : IP65 • CCT : 3000K • VOLTAGE : DC 24V • LENGTH : 5MTR • CRI : >90 Ra	STRAP 14X10		24W/MTR
14	CTR-SR-002	• SIZE : 22X12MM • BEAM ANGLE : 30° • IP CODE : IP65 • CCT : 3000K • VOLTAGE : DC 24V • LENGTH : 5MTR • CRI : >90 Ra	STRAP 22X12		20W/MTR


LED WALL WASHERS & GRAZERS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-SR-SM-001	• SIZE : 14X10MM	STEEL MESH 14X10		N/A
16	CTR-SR-SM-002	• SIZE : 22X12MM	STEEL MESH 22X12		N/A

LED LINEAR DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-S6	• SIZE : 118X50X55MM • CUT OUT : 110X50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	EXTRO 3 WAY		3X2W
2	CTR-S12	• SIZE : 235X50X55MM • CUT OUT : 225X50MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	EXTRO 6 WAY		6X2W
3	CTR-X4	• SIZE : 22X300X19MM • CUT OUT : 15X290MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET RECESSED 300MM		4W
4	CTR-X9	• SIZE : 22X600X19MM • CUT OUT : 15X590MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET RECESSED 600MM		9W
5	CTR-X15	• SIZE : 22X900X19MM • CUT OUT : 15X890MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET RECESSED 900MM		15W
6	CTR-XS9	• SIZE : 20X300X17MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET SURFACE 300MM		9W
7	CTR-XS15	• SIZE : 20X600X17MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET SURFACE 600MM		15W

LED LINEAR DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-XS22	• SIZE : 20X1024X17MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET SURFACE 1024MM		22W
9	CTR-XSC22	• SIZE : 20X1024X17MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK	BULLET SURFACE COMBI 1024MM		22W
10	CTR-X18-ADJ	• SIZE : 600X48X33MM • CRI : >90 Ra • IP CODE : IP20 • CCT : 3K/4K • LENGTH : 600MM • VOLTAGE : DC 24V • BEAM ANGLE : 25°	BULLET ADJUSTABLE 600MM		18W
11	CTR-X38-ADJ	• SIZE : 1200X48X33MM • CRI : >90 Ra • IP CODE : IP20 • CCT : 3K/4K • LENGTH : 1200MM • VOLTAGE : DC 24V • BEAM ANGLE : 25°	BULLET 1200MM		38W
12	CTR-BL1x2-001	• SIZE : 43X46X44MM • CUT OUT : 35X41MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BL		2W
13	CTR-BL2x2-001	• SIZE : 43X71X44MM • CUT OUT : 35X68MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BLADE 2 WAY		4W
14	CTR-BL3x2-001	• SIZE : 43X97X44MM • CUT OUT : 35X94MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BLADE 3 WAY		6W

LED LINEAR DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-BL5x2-001	• SIZE : 43X150X44MM • CUT OUT : 35X147MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BLADE 5 WAY		10W
16	CTR-BL10x2-001	• SIZE : 43X283X44MM • CUT OUT : 35X280MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE • REFLECTOR : MATT BLACK	BLADE 10 WAY		20W
17	CTR-SDT-001	• SIZE : 126X31X40MM • CUT OUT : 122X27MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : BLACK • REFLECTOR : MATT BLACK	SHARP DECO 6 WAY ADJUSTABLE		10W
18	CTR-LN21-D/L	• SIZE : 600X36X26MM • CRI : >90 Ra • IP CODE : IP45 • CCT : 3K/4K • LENGTH : 600MM • VOLTAGE : DC 24V • BEAM ANGLE : 50°	LINEA RECESSED DOWNLIGHT 600MM		21W
19	CTR-LN42-D/L	• SIZE : 1200X36X26MM • CRI : >90 Ra • IP CODE : IP45 • CCT : 3K/4K • LENGTH : 1200MM • VOLTAGE : DC 24V • BEAM ANGLE : 50°	LINEA REC DOWNLIGHT 1200MM		42W
20	CTR-SD-T-001	• BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK	SHARP DECO TRIMLESS 3WAY		6W
21	CTR-SD-T-002	• BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK	SHARP DECO TRIMLESS 5WAY		10W

LED LINEAR DOWNLIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-SD-T-003	• BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK	SHARP DECO TRIMLESS 10WAY		20W
23	CTR-ZD-001	• SIZE : 111X32X66MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK	ZUDO 5 WAY		10W
24	CTR-ZD-002	• SIZE : 211X32X66MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3K/4K/6K • BODY COLOUR : WHITE/BLACK	ZUDO 10 WAY		20W
25	CTR-LT-001	• SIZE : 1132X50X67MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : CCT • BODY COLOUR : BLACK	LINEAR-TRIO		40W

LED SPOT LIGHTS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-P2	• SIZE : 13X55MM • CUT OUT : 13MM • BEAM ANGLE : 3° • IP CODE : IP20 • CCT : 3K • BODY COLOUR : BLACK • REFLECTOR : GOLD	PENCIL		2W
2	CTR-FC2	• SIZE : "φ48mm*H39mm • CUT OUT : φ40mm • BEAM ANGLE : 15-36° ZOOMABLE • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : BLACK	FOCUS 2W		2W
3	CTR-SH2-001	• SIZE : φ19mm*H40mm • CUT OUT : φ15mm • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : BLACK	SHELL 2W		2W
4	CTR-OL-3-001	• SIZE : φ40mm*H25mm • CUT OUT : φ35mm • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • BODY COLOUR : BLACK	OSLO 3W		3W


LED STRIP LIGHT

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-RB-001	• STRIP SIZE : 2.5MM • ROLL : 5 MTR • IP CODE : IP20 • CCT : 3K/4K/6K • VOLTAGE : DC 12V • CRI : >90 Ra	RIBBON		5W/MTR
2	CTR-RB-002	• STRIP SIZE : 4MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : 3K/4K/6K • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON		5W/MTR
3	CTR-RB-003	• STRIP SIZE : 8MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : 3K/4K/6K • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON		15W/MTR
4	CTR-RB-003	• STRIP SIZE : 8MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : Blue/Pink/Purple/Amber • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON		15W/MTR
5	CTR-RB-004	• STRIP SIZE : 8MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : TUNABLE • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON CCT		12+12W/MTR
6	CTR-RB-005	• STRIP SIZE : 10MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : RGB • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON RGB		15W/MTR
7	CTR-RB-006	• STRIP SIZE : 12MM • ROLL : 5 MTR • IP CODE : IP67 • CCT : RGB + CCT • VOLTAGE : DC 24V • CRI : >90 Ra	RIBBON RGB+CCT		35W/MTR

OTHERS

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-TD-001	• 1/2 ROUND: 942MM • 1/4 ROUND: 471MM • STRAIGHT: 1200MM • CCT: 3000K/4000K • BODY COLOUR: GREEN	TIDE		190W
2	CTR-CB-001	• SIZE: 300X100X250MM • IP CODE: IP20 • CCT: 3000K • BODY COLOUR: BLACK	CUBIX		3X10W
3	CTR-PS-001	• SIZE: H1820MM • IP CODE: IP20 • CCT: 4000K	PEDESTAL WITH SENSOR		NA
4	CTR-TP-001	5M ROLL ALONG WITH ACCESSORIES	TAPE		NA



ACCESSORIES

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-GC-001	N/A	GEL CONNECTOR		NA
2	CTR-GC-001	N/A	GEL CONNECTOR PREMIUM		NA
3	CTR-GC-001	N/A	GEL CONNECTOR XL		NA
4	CTR-BL-EC	N/A	BELT END CAP		N/A
5	CTR-BL-MC	N/A	BELT METAL CLIP		N/A
6	CTR-SR-MC	N/A	STRAP METAL CLIP		N/A



OUTDOOR
LIGHTING

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-TR-001	• SIZE : 210x100x50MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : STAINLESS STEEL	TERRA		2X5W
2	CTR-KT-001	• SIZE : 175x175x90MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	KITE		2X5W
3	CTR-TH-001	• SIZE : 30X16X12MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : LED	THEME		3W
4	CTR-TH-002	• SIZE : 60X16X12MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : LED	THEME		6W
5	CTR-CR-001	• IP CODE : IP54 • CCT : 3000K • BODY COLOUR : BLACK	CROSS		12W
6	CTR-RA2X6-001	• SIZE : Ø60X85X140mm • CRI : >80 Ra • BEAM ANGLE : 10° • IP CODE : IP65 • CCT : 3000K	RADIUS 2X6W		2X6W
7	CTR-1012	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	GLOBE		2X5W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-1013	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	SPINAL		2X3W
9	CTR-1011	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	PRISM		3W
10	CTR-1010	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	BRICK		2X6W
11	CTR-1025	• IP CODE : IP65 • CCT : 6000K • BODY COLOUR : GREY	BULKY		12W
12	CTR-1022	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	CUBE		3W
13	CTR-914	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	GERO		1X6W
14	CTR-915	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	GERO TWIN		2X6W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-1023	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	NOVA 1 WAY		1X3W
16	CTR-1024	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	NOVA 2 WAY		2X3W
17	CTR-NM-001	• SIZE : 55X50X50MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	NOVA MINI 1 WAY		2W
18	CTR-NM-002	• SIZE : 100X55X50MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	NOVA MINI 2 WAY		2X2W
19	CTR-1026	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	BLOCK 1WAY		1X1W
20	CTR-1027	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	BLOCK 2WAY		2X1W
21	CTR-1028	• SIZE : 48X38X45MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BLOCK 4 WAY		4X1W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-1014	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	WHEEL 3WAY		3W
23	CTR-1015	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	WHEEL 4WAY		4W
24	CTR-1016	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	WHEEL 5WAY		5W
25	CTR-1017	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	PETAL 2+2 WAY		4W
26	CTR-1018	• IP CODE : IP65 • CCT : 3000K • BODY COLOUR : GREY	PETAL 3+3 WAY		6W
27	CTR-FL1	• LUMEN : 180 • IP CODE : IP65 • CCT : 3000K	FALL 1+1 WAY		2W
28	CTR-FL2	• LUMEN : 360 • IP CODE : IP65 • CCT : 3000K	FALL 2+2 WAY		4W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
29	CTR-FL3	• LUMEN : 540 • IP CODE : IP65 • CCT : 3000K	FALL 3+3 WAY		6W
30	CTR-FL4	• LUMEN : 720 • IP CODE : IP65 • CCT : 3000K	FALL 4+4 WAY		8W
31	CTR-SR-001	• LUMEN : 180 • IP CODE : IP65 • CCT : 3000K	STAR 2 WAY		2W
32	CTR-SR-002	• LUMEN : 360 • IP CODE : IP65 • CCT : 3000K	STAR 4 WAY		4W
33	CTR-CMW-001	• SIZE : Φ120MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	COMET-W		12W
34	CTR-MN-001	• IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MOON		7W
35	CTR-MR-001	• SIZE : 50X60MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MUSHROOM-S		3W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
36	CTR-MR-002	• SIZE : 60X70MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MUSHROOM-M		5W
37	CTR-MR-003	• SIZE : 70X70MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MUSHROOM-L		7W
38	CTR-BN-001	• SIZE : 65X100MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BALLON-65		3W
39	CTR-BN-002	• SIZE : 95X125MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BALLON-95		3W
40	CTR-BN-003	• SIZE : 100X150MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BALLON-100		5W
41	CTR-BM-001	• SIZE : Φ30XH600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BAMBOO		6W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
42	CTR-BM-002	• SIZE : Φ40XH600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BAMBOO		7W
43	CTR-BM-003	• SIZE : Φ60XH600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BAMBOO		7W
44	CTR-CMB-001	• SIZE : 150x150x280MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	COMET-B		18W
45	CTR-BL-001	• SIZE : 180xH600MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BELLO		5W
46	CTR-BL-002	• SIZE : 500xH800MM • IP CODE : IP54 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	BELLO TRIPOD		3X5W


LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
47	CTR-ST-001	• SIZE : 100xH600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	STICK		5W
48	CTR-ST-002	• SIZE : 120xH600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	STICK		7W
49	CTR-MG-001	• SIZE : 160X100X600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MIRAGE		7W
50	CTR-MG-002	• SIZE : 230X100X600MM • IP CODE : IP65 • CCT : 3000K • CRI : >80 • INPUT VOLTAGE : AC85-265V • MATERIAL : ALUMINIUM	MIRAGE		2X7W
51	CTR-BR-001	• SIZE : 28X48MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	BARREL		12W
52	CTR-BR-002	• SIZE : 30X60MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	BARREL		12W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
53	CTR-TL-001	• SIZE : 25X60MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	TULIP		12W
54	CTR-TL-002	• SIZE : 41X95MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	TULIP		12W
55	CTR-CG-001	• SIZE : 40X28MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	CAGE		15W
56	CTR-CG-002	• SIZE : 50X28MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	CAGE		15W
57	CTR-OC-001	• SIZE : 20X20X28MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	ORCHID		3W
58	CTR-OC-002	• SIZE : 20X20X48MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	ORCHID		7W
59	CTR-OC-003	• SIZE : 20X20X68MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : E27	ORCHID		7W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
60	CTR-BC-001	• SIZE : 32X32X36MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : LED	BENCH		12W
61	CTR-DN-001	• SIZE : 62.5X53.5MM • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK • INPUT VOLTAGE : 220V • LIGHT SOURCE : LED	DEN		-
62	CTR-PL24-RD/CTR-1020	• SIZE : 220X45MM • BEAM ANGLE : 40° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : GREY	PLATE		24W
63	CTR-TO3	• SIZE : 66X20MM • CRI : >90 Ra • BEAM ANGLE : 15° • IP CODE : IP67 • CCT : 3K • BODY COLOUR : BLACK • VOLTAGE : DC 24V	TORCH 1 WAY		1X3W
64	CTR-TO6	• SIZE : 77X20MM • CRI : >90 Ra • BEAM ANGLE : 15° • IP CODE : IP67 • CCT : 3K • BODY COLOUR : BLACK • VOLTAGE : DC 24V	TORCH 2 WAY		2X3W
65	CTR-TS3	• SIZE : 86X22MM • CRI : >90 Ra • BEAM ANGLE : 15° • IP CODE : IP67 • CCT : 3K • BODY COLOUR : BLACK • VOLTAGE : DC 24V	TORCH SPIKE		3W
66	CTR-DK5-001	• SIZE : 58X25MM • BEAM ANGLE : 36° • IP CODE : IP67 • CCT : 3000K • BODY COLOUR : BLACK	DISK 5W		5W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
67	CTR-DK10-001	• SIZE : 80X15MM • BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3000K • BODY COLOUR : BLACK	DISK 10W		10W
68	CTR-TK-001	• SIZE : 24X35.5MM • CRI : >80 Ra • IP CODE : IP67 • CCT : 3000K	TRICK 10W		10W
69	CTR-BA6-001	• SIZE : 85X85X60MM • CRI : >80 Ra • BEAM ANGLE : 10° • IP CODE : IP65 • CCT : 3000K	BALL 6W		6W
70	CTR-BA18-001	• SIZE : 85X85X60MM • CRI : >80 Ra • BEAM ANGLE : 10° • IP CODE : IP65 • CCT : 3000K	BALL 18W		18W
71	CTR-MS4-001	• SIZE : Ø82X110X45mm • CRI : >80 Ra • BEAM ANGLE : 10° • IP CODE : IP65 • CCT : 3000K	MOUSE 4W		4W
72	CTR-LN10/CTR-1019	• SIZE : 70X105MM • BEAM ANGLE : 15° • IP CODE : IP65 • CCT : 3K/4K/6K • BODY COLOUR : GREY	LINE		10W
73	CTR-1021	• BEAM ANGLE : 36° • IP CODE : IP65 • CCT : 3K • BODY COLOUR : GREY	PIN-6		6W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
74	CTR-DR1	• SIZE : 20X22MM • CUT OUT : 15MM • BEAM ANGLE : 14° • IP CODE : IP65 • CCT : 3K • BODY COLOUR : BLACK • VOLTAGE : DC 24V	DROP		1W
75	CTR-MI2	• SIZE : 24X35.5MM • CRI : >80 Ra • BEAM ANGLE : 15° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover), Aluminium (Radiator) • VOLTAGE : DC 24V	MINT		1W
76	CTR-CA3	• SIZE : 35X48MM • CRI : >80 Ra • BEAM ANGLE : 45° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover), Aluminium (Radiator) • VOLTAGE : DC 24V	CARAT		3W
77	CTR-EY3	• SIZE : 35X48MM • CRI : >80 Ra • BEAM ANGLE : 45° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover), Aluminium (Radiator) • VOLTAGE : DC 12/24V	EYE		3W
78	CTR-AU3	• SIZE : 48X44MM • CRI : >80 Ra • BEAM ANGLE : 30° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover), Aluminium (Radiator) • VOLTAGE : DC 24V	AURA		3W
79	CTR-AU6	• SIZE : φ60mm • CRI : >90 Ra • BEAM ANGLE : 30° • IP CODE : IP67 • CCT : 3000K • VOLTAGE : DC 24V	AURA 6W		6W
80	CTR-ST1	• SIZE : 35X36MM • CRI : >80 Ra • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover), Aluminium (Radiator) • VOLTAGE : DC 24V	STEP		1W

LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
81	CTR-RI1	• SIZE : 42X30MM • CRI : >80 Ra • BEAM ANGLE : 180° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover) , Aluminium (Radiator) • VOLTAGE : DC 12/24V	RING		1W
82	CTR-OV3	• SIZE : 50X48MM • CRI : >80 Ra • BEAM ANGLE : 45° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover) , Aluminium (Radiator) • VOLTAGE : DC 24V	OVAL		3W
83	CTR-OR3	• SIZE : 42X42MM • CRI : >80 Ra • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover) , Aluminium (Radiator) • VOLTAGE : DC 24V	ORBIT		3W
84	CTR-BO3	• SIZE : 62X90MM • CRI : >80 Ra • BEAM ANGLE : 45° • IP CODE : IP67 • CCT : 3K • MATERIAL : Stainless Steel (Face cover) , Aluminium (Radiator) • VOLTAGE : DC 24V	BOLT		3W
85	CTR-P7-001	• SIZE : Ø130*H140mm • CRI : >90 Ra • BEAM ANGLE : 30° • IP CODE : IP67 • CCT : 3000K • VOLTAGE : DC 24V	PISTON 7W (INGROUND LIGHT ADJUSTABLE)		7W
86	CTR-PB-001	• SIZE : 50X70MM • BEAM ANGLE : 24° • IP CODE : IP67 • CCT : 3000K • BODY COLOUR : GREY	PEBBLE 6W		6W
87	CTR-PB-002	• SIZE : 65X75MM • BEAM ANGLE : 24° • IP CODE : IP67 • CCT : 3000K • BODY COLOUR : GREY	PEBBLE 9W		9W


LED OUTDOOR LIGHTING

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
88	CTR-AW15	• SIZE : 32X48MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 500MM • VOLTAGE : DC 24V	WALL WASHER		18W
89	CTR-AW15	• SIZE : 32X48MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 1000MM • VOLTAGE : DC 24V	WALL WASHER		36W
90	CTR-LNW12-S	• SIZE : 300X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 300MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 300MM		12W
91	CTR-LNW21-S	• SIZE : 600X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 600MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 600MM		21W
92	CTR-LNW42-S	• SIZE : 1200X26X26MM • CRI : >90 Ra • IP CODE : IP65 • CCT : 2700K • LENGTH : 1200MM • VOLTAGE : DC 24V • BEAM ANGLE : 15°	LINEA SURFACE WALL WASHER 1200MM		42W
93	CTR-FW15	• SIZE : 40X34MM • CRI : >80 Ra • IP CODE : IP65 • CCT : 3K • LENGTH : 1 MTR • VOLTAGE : DC 24V	FLEXIBLE WALL WASHER		15W
94	CTR-WG15	• SIZE : 23X14MM • IP CODE : IP65 • CCT : 3K • LENGTH : 5 MTR • VOLTAGE : DC 24V	WALL GRAZER		15W/MTR



**3.5MM
MAGNETIC
LIGHTING
SYSTEM**

3.5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-GD5240Y/L1000	• SIZE : 52X40MM • LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM RECESS MAGNETIC TRACK 1M		-
2	CTR-GD1351D/L1000	• SIZE : 13X51MM • LENGTH : 1000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM SURFACE MAGNETIC TRACK 1M		-
3	CTR-GD520Y/L150	• SIZE : 52X40MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM RECESSED CEILING CORNER		-
4	CTR-GD1353D/L150	• SIZE : 13X53MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM SURFACE CEILING CORNER		-
5	CTR-SP35100	• INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM SURFACE POWER MODULE		-
6	CTR-WC35100	• IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM WIRE CONNECTOR		-
7	CTR-IC35100	• IP CODE : IP20 • BODY COLOUR : BLACK	3.5MM I-CONNECTOR		-

3.5MM MAGNETIC LIGHTING SYSTEM


S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-EC35100	• IP CODE : IP20 • BODY COLOUR : BLACK	3.5MM END CAP		-
9	CTR-SK35100	• IP CODE : IP20 • BODY COLOUR : BLACK	3.5MM SUSPENSION KIT		-
10	CTR-SD35100/5W	• SIZE : $\phi 35 \times 63$MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM TRACKSPOT 5W		5W
11	CTR-SD35100/5W/D	• SIZE : $\phi 35 \times 63$MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 2700K-5700K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM TRACKSPOT 5W DALI DT-8		5W
12	CTR-SD45120/12W	• SIZE : $\phi 45 \times 120$MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM TRACKSPOT 12W		12W
13	CTR-SD45140/15W	• SIZE : $\phi 45 \times 140$MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM TRACKSPOT 20W		20W
14	CTR-SD64140/20W/D	• SIZE : $\phi 64 \times 140$MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 2700K-5700K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM TRACKSPOT 20W DALI DT-8		20W

3.5MM MAGNETIC LIGHTING SYSTEM



S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-GSD22116/L220/D	• SIZE : 220X22X116MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 2700K-5700K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM ADJUSTABLE DOWNLIGHT 12W DALI DT-8		12W
16	CTR-PMD2296/L247/D	• SIZE : 247X22X96MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 2700K-5700K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	3.5MM ADJUSTABLE PANEL LIGHT 8W DALI DT-8		8W

5MM
MAGNETIC
LIGHTING
SYSTEM



5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-WDT-1M	• SIZE : 50x15MM • LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM RECESS MAGNETIC TRACK 1M		-
2	CTR-WDT-2M	• SIZE : 50x15MM • LENGTH : 2000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM RECESS MAGNETIC TRACK 2M		-
3	CTR-WST-1M	• SIZE : 11x15MM • LENGTH : 1000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE MAGNETIC TRACK 1M		-
4	CTR-WST-2M	• SIZE : 11x15MM • LENGTH : 2000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE MAGNETIC TRACK 2M		-
5	CTR-WT-E01	• SIZE : 39X5X11MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM WIRE CONNECTOR		-
6	CTR-WT-E02	• SIZE : 180X5X11MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM DOUBLE SIDE WIRE CONNECTOR		-
7	CTR-WT-END	• SIZE : 15X10MM • IP CODE : IP20 • BODY COLOUR : BLACK	5MM END CAP		-

5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-WRT-C01	• IP CODE : IP20 • BODY COLOUR : BLACK	5MM RECESSED I-CONNECTOR		-
9	CTR-WDT-L01	• SIZE : 55X50MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM RECESS CEILING CORNER		-
10	CTR-WDT-J01	• SIZE : 50X30X30MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM RECESS WALL CORNER		-
11	CTR-WST-L02	• SIZE : 30X30X15MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE CEILING CORNER		-
12	CTR-WST-J02	• SIZE : 30X30X15MM • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE WALL CORNER		-
13	CTR-WST-C01	• IP CODE : IP20 • BODY COLOUR : BLACK	5MM SURFACE I-CONNECTOR		-
14	CTR-WST-SK01	• IP CODE : IP20 • BODY COLOUR : BLACK	5MM SUSPENSION KIT		-

5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-WST-R600Q	• SIZE : $\phi 600$MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE 600MM ARC TRACK		-
16	CTR-WST-R900Q	• SIZE : $\phi 900$MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE 900MM ARC TRACK		-
17	CTR-WST-R1200Q	• SIZE : $\phi 1200$MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SURFACE 1200MM ARC TRACK		-
18	CTR-WSA0535DR	• SIZE : $\phi 35 \times 58$MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM TRACK SPOT 5W		5W
19	CTR-WSA0545DR	• SIZE : $\phi 45 \times 58$MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM TRACK SPOT 9W		9W
20	CTR-WWA0560NR-B	• SIZE : $\phi 60 \times 38$MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SPOT DOWNLIGHT 5W		5W
21	CTR-WWB0513NR	• SIZE : $\phi 113 \times 34$MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM SPOT PANEL LIGHT 12W		12W

5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-WLB0530NS	• SIZE : 300X5X12MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR PANEL LIGHT 5W		5W
23	CTR-WLB0560NS	• SIZE : 600X5X12MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR PANEL LIGHT 10W		10W
24	CTR-WLB0590NS	• SIZE : 900X5X12MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR PANEL LIGHT 15W		15W
25	CTR-WLB1060NS	• SIZE : 600X18X10MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR PANEL LIGHT 16W (SURFACE)		16W
26	CTR-WLA1005NS	• SIZE : 100X18X10MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR DOWNLIGHT 5W		5W
27	CTR-WLA1010NS	• SIZE : 200X18X10MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR DOWNLIGHT 10W		10W
28	CTR-WLA1015NS	• SIZE : 300X18X10MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR DOWNLIGHT 15W		15W

5MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
29	CTR-WLA1020NS	• SIZE : 400X18X10MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR DOWNLIGHT 20W		20W
30	CTR-WLA1512DS	• SIZE : 231X15X85MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	5MM LINEAR DOWNLIGHT ADJUSTABLE 12W		12W




10MM MAGNETIC LIGHTING SYSTEM

10MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-DBXS-C1	• SIZE : 45x41MM • LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS MAGNETIC TRACK 1M		-
2	CTR-DBXS-C2	• SIZE : 45x41MM • LENGTH : 2000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS MAGNETIC TRACK 2M		-
3	CTR-DBXS-C3	• SIZE : 45x41MM • LENGTH : 3000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS MAGNETIC TRACK 3M		-
4	CTR-DBXS-C-Z	• SIZE : 60X60MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS CEILING CORNER		-
5	CTR-DBXS-C-I	• SIZE : 60X60MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS WALL CORNER		-
6	CTR-DBXS-C-T	• INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS T SHAPE		-
7	CTR-DBXS-C-X	• INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM RECESS CROSS		-

10MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-DBXS-B1	• SIZE : 14X42MM • LENGTH : 1000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM SURFACE MAGNETIC TRACK 1M		-
9	CTR-DBXS-B2	• SIZE : 14X42MM • LENGTH : 2000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM SURFACE MAGNETIC TRACK 2M		-
10	CTR-DBXS-B3	• SIZE : 14X42MM • LENGTH : 3000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM SURFACE MAGNETIC TRACK 3M		-
11	CTR-DBXS-B-Z	• SIZE : 60X60MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM SURFACE CEILING CORNER		-
12	CTR-DBXS-B-I	• SIZE : 60X60MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM SURFACE WALL CORNER		-
13	CTR-DBXS-A	• LENGTH : 2000MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM MINI SURFACE MAGNETIC TRACK 2M		-
14	CTR-DBXS-H	• SIZE : 79X11X12 • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM WIRE CONNECTOR		-

10MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-DBXS-H4	• SIZE : 79X11X12 • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOUBLE SIDED WIRE CONNECTOR		-
16	CTR-DBXS-H1	• SIZE : 116X11X12 • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM TRACK JOINTER		-
17	CTR-DBXS-I	• SIZE : 80X15X2 • IP CODE : IP20 • BODY COLOUR : BLACK	10MM I-CONNECTOR		-
18	CTR-DBXS-K	• SIZE : φ24X47MM • IP CODE : IP20 • BODY COLOUR : BLACK	10MM SUSPENSION KIT		-
19	CTR-MD-1048100	• IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V • POWER : 100W	10MM POWER SUPPLY		100W
21	CTR-DBXS-1700XS	• SIZE : φ35X80MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM TRACK SPOT 5W		5W
22	CTR-DBXS-1700S	• SIZE : φ45X100MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM TRACK SPOT 10W		10W

10MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
23	CTR-DBXS-1700S	• SIZE : $\varnothing 55 \times 115$MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM TRACK SPOT 15W		15W
24	CTR-DBXS-M300	• SIZE : $300 \times 12 \times 32$MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM PANEL LIGHT 300MM		8W
25	CTR-DBXS-M600	• SIZE : $600 \times 12 \times 32$MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM PANEL LIGHT 600MM		15W
26	CTR-DBXS-M900	• SIZE : $900 \times 12 \times 32$MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM PANEL LIGHT 900MM		20W
27	CTR-DBXS-ML150	• SIZE : $150 \times 12 \times 65$MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM PANEL LIGHT ADJUSTABLE 150MM		4W
28	CTR-DBXS-ML300	• SIZE : $300 \times 12 \times 65$MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM PANEL LIGHT ADJUSTABLE 300MM		8W
29	CTR-DBXS-S006	• SIZE : $150 \times 12 \times 32$MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOWNLIGHT 150MM		6W

10MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
30	CTR-DBXS-S012	• SIZE : 300X12X32MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOWNLIGHT 300MM		12W
31	CTR-DBXS-S018	• SIZE : 450X12X32MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOWNLIGHT 450MM		18W
32	CTR-DBXS-SL006	• SIZE : 450X12X32MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOWNLIGHT ADJUSTABLE 150MM		6W
33	CTR-DBXS-SL012	• SIZE : 450X12X32MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM DOWNLIGHT ADJUSTABLE 300MM		12W
34	CTR-DBXS-P1700M	• SIZE : φ30X300MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	10MM HANGING TUBE 5W		5W

**2.2LINE
MAGNETIC
LIGHTING SYSTEM**

2.2 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-GD6236Y/L150	• SIZE : 62x36MM • LENGTH : 150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 150MM		-
2	CTR-GD6236Y/L200	• SIZE : 62x36MM • LENGTH : 200MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 200MM		-
3	CTR-GD6236Y/L300	• SIZE : 62x36MM • LENGTH : 300MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 300MM		-
4	CTR-GD6236Y/L500	• SIZE : 62x36MM • LENGTH : 500MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 500MM		-
5	CTR-GD6236Y/L1000	• SIZE : 62x36MM • LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 1M		-
6	CTR-GD6236Y/L2000	• SIZE : 62x36MM • LENGTH : 2000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS MAGNETIC TRACK 2M		-
7	CTR-GD6263Y/C	• SIZE : 150X150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS CEILING CORNER		-

2.2 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-GD6263Y/W	• SIZE : 150X150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS WALL CORNER		-
9	CTR-GD6263Y/T	• SIZE : 300X150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS T SHAPE		-
10	CTR-GD6263Y/CR	• SIZE : 300X300MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE RECESS CROSS		-
11	CTR-GD2345D/L1000	• SIZE : 62x36MM • LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE MAGNETIC TRACK 1M		-
12	CTR-GD2345D/L1500	• SIZE : 62x36MM • LENGTH : 1500MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE MAGNETIC TRACK 1.5M		-
13	CTR-GD2345D/L2000	• SIZE : 62x36MM • LENGTH : 2000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE MAGNETIC TRACK 2M		-
14	CTR-GD2345D/C	• SIZE : 150X150MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE CEILING CORNER		-



2.2 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-GD2345D/W	• SIZE : 150X150MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE WALL CORNER		-
16	CTR-GD2345D/T	• SIZE : 300X150MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE T SHAPE		-
17	CTR-GD2345D/CR	• SIZE : 300X300MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE SURFACE CROSS		-
18	CTR-GD6263Y/W/C	• IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE WIRE CONNECTOR		-
19	CTR-GD6263Y/I/C	• IP CODE : IP20 • BODY COLOUR : BLACK	2.2 LINE I- CONNECTOR		-
20	CTR-GD6263Y/E/C	• IP CODE : IP20 • BODY COLOUR : BLACK	2.2 LINE END CAP		-
21	CTR-GD6263Y/B	• IP CODE : IP20 • BODY COLOUR : BLACK	2.2 LINE BLANK		-

2.2 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-GD6263Y/S/K	• IP CODE : IP20 • BODY COLOUR : BLACK	2.2 LINE SUSPENSION KIT		
23	CTR-SD1434100/8W	• SIZE : $\phi 34 \times 100 \text{MM}$ • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE TRACKSPOT 8W		8W
24	CTR-GSD1430/295/10W	• SIZE : $300 \times 14 \times 30 \text{MM}$ • BEAM ANGLE : 30° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE DOWNLIGHT 300MM		10W
25	CTR-GSD1430/L512/17W	• SIZE : $600 \times 14 \times 30 \text{MM}$ • BEAM ANGLE : 30° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE DOWNLIGHT 600MM		17W
26	CTR-GSD1430/L1018/32W	• SIZE : $900 \times 14 \times 30 \text{MM}$ • BEAM ANGLE : 30° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE DOWNLIGHT 900MM		32W
27	CTR-GSD1469/L223/T7W	• SIZE : $223 \times 14 \times 69 \text{MM}$ • BEAM ANGLE : 30° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE DOWNLIGHT ADJUSTABLE 7W		7W
28	CTR-PMD1430/L295/10W	• SIZE : $300 \times 14 \times 30 \text{MM}$ • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE PANEL LIGHT 300MM		10W

2.2 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
29	CTR-PMD1430/L512/17W	• SIZE : 600X14X30MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE PANEL LIGHT 600MM		17W
30	CTR-PMD1430/L1018/32W	• SIZE : 900X14X30MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE PANEL LIGHT 900MM		32W
31	CTR-PMD1469/L223/T7W	• SIZE : 223X14X69MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE PANEL LIGHT ADJUSTABLE 7W		7W
32	CTR-DXD1434200/5W	• SIZE : 34X200MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE HANGING TUBE 5W		5W
33	CTR-DXD146068/5W	• SIZE : 60X68MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	2.2 LINE HANGING POT 5W		5W

**4LINE
MAGNETIC
LIGHTING SYSTEM**

4 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-GD9857Y/L150	• SIZE : 98x57MM • LENGTH : 150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	4 LINE RECESS MAGNETIC TRACK 150MM		-
2	CTR-GD9857Y/L200</				

4 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-GD9857Y/W	• SIZE : 150X150MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	4 LINE RECESS WALL CORNER		-
9	CTR-GD				

4 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
15	CTR-GD3267D/W	• SIZE : 150X150MM • INSTALLATION : SURFACE • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	4 LINE SURFACE WALL CORNER		-
16	CTR-GD3267D/T	• SIZE : 300			

4 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
22	CTR-GD9857Y/S/K	• IP CODE : IP20 • BODY COLOUR : BLACK	4 LINE SUSPENSION KIT		-
23	CTR-SD2234100/8W	• SIZE : φ34X100MM • BEAM ANGLE : 36° • IP CODE			

4 LINE MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
29	CTR-PMD2240/L485/16W	• SIZE : 600X22X40MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	4 LINE PANEL LIGHT 600MM		

**26MM
MAGNETIC
LIGHTING SYSTEM**

26MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-MT-26-001	• LENGTH : 1000MM • INSTALLATION : RECESSED • IP CODE : IP20 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM RECESSED MAGNETIC TRACK 1M		-
2	CTR-MT-26-002	• LENGTH			

26MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-IC-26-001	• IP CODE : IP20 • BODY COLOUR : BLACK	26MM I-CONNECTOR		SET
9	CTR-EC-26-001	• IP CODE : IP20 • BODY COLOUR : BLACK	26MM END CAP	<	

26MM MAGNETIC LIGHTING SYSTEM

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
14	CTR-DL-26-002	• SIZE : 220X22X25MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM DOWNLIGHT 20W 220MM		20W
15	CTR-DLA-26-001	• SIZE : 112X22X90MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM DOWNLIGHT ADJUSTABLE 10W 110MM		10W
16	CTR-DLA-26-002	• SIZE : 220X22X90MM • BEAM ANGLE : 36° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM DOWNLIGHT ADJUSTABLE 20W 220MM		20W
17	CTR-PL-26-001	• SIZE : 203X22X25MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM PANEL LIGHT 10W 200MM		10W
18	CTR-PL-26-002	• SIZE : 303X22X25MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM PANEL LIGHT 20W 300MM		20W
19	CTR-PLA-26-001	• SIZE : 203X22X90MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM PANEL LIGHT ADJUSTABLE 10W 200MM		10W
20	CTR-PLA-26-002	• SIZE : 303X22X90MM • BEAM ANGLE : 120° • IP CODE : IP20 • CCT : 3000K/4000K/6000K • CRI : >80 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC48V	26MM PANEL LIGHT ADJUSTABLE 20W 300MM		20W



HANGER SERIES

HANGER SERIES

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-HG118/L1000	• SIZE : 18x11MM • LENGTH : 1000/1500/2000MM • INSTALLATION : SUSPENDED • IP CODE : IP20 • BODY COLOUR : BLACK • CCT : 3000K/4000K • CRI : >90 • INPUT VOLTAGE : DC24V	HANGER TRACK		10M
2	CTR-HG-SP	• SIZE : Φ67x123MM • IP CODE : IP20 • BODY COLOUR : BLACK	SINGLE END PLUG		-
3	CTR-HG-DP	• SIZE : 60x113MM • IP CODE : IP20 • BODY COLOUR : BLACK	DOUBLE DIRECTIONAL END PLUG		-
4	CTR-HG-SH	• SIZE : Φ20x15MM • IP CODE : IP20 • BODY COLOUR : BLACK	SINGLE HANGER		-
5	CTR-HG-DH	• SIZE : Φ20x30MM • IP CODE : IP20 • BODY COLOUR : BLACK	DOUBLE HANGER		-
6	CTR-HG34100/8W	• SIZE : φ34X100MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	TRACK SPOT 8W		8W
7	CTR-HG3660/L284/7W	• SIZE : 248X36X60MM • BEAM ANGLE : 24° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	DOWNLIGHT 7W		7W

HANGER SERIES

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
8	CTR-HG4660/L313/8W	• SIZE : 313X36X60MM • BEAM ANGLE : 100° • IP CODE : IP20 • CCT : 3000K/4000K • CRI : >90 • BODY COLOUR : BLACK • INPUT VOLTAGE : DC24V	PANEL LIGHT 8W		8W



STONE CRAFT SERIES

STONE CRAFT SERIES

S.NO	PRODUCT CODE	SPECIFICATIONS	PRODUCT NAME	IMAGE	POWER
1	CTR-SC-001	• SIZE : 143X45MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	VENUS		10W
2	CTR-SC-002	• SIZE : 115X110X210MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	ICONIC		5W
3	CTR-SC-003	• SIZE : 185X140X225MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	DOME		35W
4	CTR-SC-004	• SIZE : 303X303X40MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	ZOOM		10W
5	CTR-SC-005	• SIZE : 403X403MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	DESIRE		3W
6	CTR-SC-006	• SIZE : 313X263MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	MIRAGE		3W
7	CTR-SC-007	• SIZE : 183X121X55MM • IP CODE : IP20 • CCT : 3000K • BODY COLOUR : WHITE	MOON		3W

[illegible]



SCAN THIS QR CODE FROM
YOUR PHONE TO KNOW MORE ABOUT US

info@caterlux.co.in
www.caterlux.co.in

